

**INTERFACE**Version 2 / GB  
102000027466

1/10

Revision Date: 05.11.2013  
Print Date: 09.01.2014**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Trade name INTERFACE  
Product code (UVP) 80976437

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use Fungicide

**1.3 Details of the supplier of the safety data sheet**

Supplier Bayer Environmental Science  
230 Cambridge Science Park  
Milton Road  
Cambridge  
Cambridgeshire CB4 0WB  
United Kingdom

Telephone 00800-1214 9451  
Telefax +44(0)1223 426240  
Responsible Department Email: [ukinfo@bayercropscience.com](mailto:ukinfo@bayercropscience.com)

**1.4 Emergency telephone no.**

Emergency telephone no. 0800-220876 (UK 24 hr)  
+44(0)1635-563000 (Overseas 24 hr)

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification according to EU Directives 67/548/EEC or 1999/45/EC**

Carc.Cat.3, R40  
N Dangerous for the environment, R50/53

**2.2 Label elements****Labelling according to specific UK regulations:**

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

Hazard label for supply/use required.

**Symbol(s)**

Xn Harmful

N Dangerous for the environment

**INTERFACE**Version 2 / GB  
102000027466

2/10

Revision Date: 05.11.2013  
Print Date: 09.01.2014**R-phrase(s)**

R40 Limited evidence of a carcinogenic effect.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Contains Trifloxystrobin. May produce an allergic reaction.  
To avoid risks to man and the environment, comply with the instructions for use.

**S-phrase(s)**

S35 This material and its container must be disposed of in a safe way.  
S36/37 Wear suitable protective clothing and gloves.  
S57 Use appropriate container to avoid environmental contamination.  
S 2 Keep out of the reach of children.  
S13 Keep away from food, drink and animal feedingstuffs.  
S46 If swallowed, seek medical advice immediately and show this container or label.  
DO NOT ALLOW SPRAY from hand held sprayers to fall within 1m of the top of the bank of a static or flowing waterbody.  
IRL-02 Do not allow direct spray from ground crop sprayers to fall within 5 m of the top of the bank of a static or flowing waterbody, or within 1 m of the top of a ditch which is dry at the time of application. Direct spray away from water.

**2.3 Other hazards**

No other hazards known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)  
Iprodione/Trifloxystrobin 256:16 g/l

**Hazardous components**

R-phrase(s) according to EC directive 67/548/EEC  
Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Iprodione	36734-19-7 253-178-9	Carc.Cat.3 R40 N; R50/53	Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	23.10
Trifloxystrobin	141517-21-7 604-237-6	R43 N; R50/53	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1.44
Isodecyl poly(ethyleneoxy)e thanol	78330-20-8 616-607-4	Xn; R22 Xi; R41	Acute Tox. 4, H302 Eye Dam. 1, H318	> 1.00 - < 25.00
1,2-Propanediol	57-55-6 200-338-0	Not classified	Not classified	> 1.00

**Further information**

Iprodione	36734-19-7	M-Factor: 1 (acute)
Trifloxystrobin	141517-21-7	M-Factor: 100 (acute)



## INTERFACE

Version 2 / GB  
102000027466

3/10

Revision Date: 05.11.2013

Print Date: 09.01.2014

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	Water

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

### 5.3 Advice for firefighters

**Special protective equipment for fire-fighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

**INTERFACE**Version 2 / GB  
102000027466

4/10

Revision Date: 05.11.2013

Print Date: 09.01.2014

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Keep people away from and upwind of spill/leak. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Check also for any local site procedures.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

**Hygiene measures** Remove contaminated clothing immediately and dispose of safely. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** HDPE (high density polyethylene)

**7.3 Specific end uses** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Iprodione	36734-19-7	2 mg/m <sup>3</sup> (TWA)		OES BCS*
Trifloxystrobin	141517-21-7	2.7 mg/m <sup>3</sup> (TWA)		OES BCS*

**INTERFACE**Version 2 / GB  
102000027466

5/10

Revision Date: 05.11.2013

Print Date: 09.01.2014

1,2-Propanediol (Particulate.)	57-55-6	10 mg/m <sup>3</sup> (TWA)	12 2011	EH40 WEL
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m <sup>3</sup> /150 ppm (TWA)	12 2011	EH40 WEL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

<b>Respiratory protection</b>	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
<b>Hand protection</b>	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid
<b>Colour</b>	green
<b>Odour</b>	musty
<b>pH</b>	4.0 - 7.0 at 100 % (23 °C)
<b>Flash point</b>	No flash point - Determination conducted up to the boiling point.
<b>Ignition temperature</b>	515 °C
<b>Density</b>	1.11 g/cm <sup>3</sup> at 20 °C
<b>Partition coefficient: n-octanol/water</b>	Trifloxystrobin: log Pow: 4.5 at 25 °C

**INTERFACE**Version 2 / GB  
102000027466

6/10

Revision Date: 05.11.2013  
Print Date: 09.01.2014

---

<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** LD50 (rat) > 5,000 mg/kg**Acute inhalation toxicity** LC50 (rat) > 2.56 mg/l  
Exposure time: 4 h  
Determined in the form of liquid aerosol.**Acute dermal toxicity** LD50 (rat) > 5,000 mg/kg**Skin irritation** No skin irritation (rabbit)**Eye irritation** No eye irritation (rabbit)**Sensitisation** Non-sensitizing. (mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)**Assessment repeated dose toxicity**

Iprodione caused specific target organ toxicity in experimental animal studies in rats in the following organ(s): adrenal gland.

Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

**Assessment Mutagenicity**

Iprodione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment Carcinogenicity**

Iprodione caused at high dose levels an increased incidence of tumours in the following organ(s): liver, testes. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

**INTERFACE**Version 2 / GB  
102000027466

7/10

Revision Date: 05.11.2013  
Print Date: 09.01.2014

Iprodione did not cause reproductive toxicity in a two-generation study in rats. Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

**Assessment developmental toxicity**

Iprodione caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Iprodione are related to maternal toxicity. Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 1.47 mg/l  
Exposure time: 96 h

**Toxicity to aquatic invertebrates** EC50 (Water flea (Daphnia magna)) 0.6 mg/l  
Exposure time: 48 h

**Toxicity to aquatic plants** EC50 (Pseudokirchneriella subcapitata) 5.32 mg/l  
Growth rate; Exposure time: 72 h

**12.2 Persistence and degradability**

**Biodegradability** Iprodione:  
not rapidly biodegradable  
Trifloxystrobin:  
not rapidly biodegradable

**Koc** Iprodione: Koc: 202 - 543  
Trifloxystrobin: Koc: 2377

**12.3 Bioaccumulative potential**

**Bioaccumulation** Iprodione: Bioconcentration factor (BCF) 70  
Does not bioaccumulate.  
Trifloxystrobin: Bioconcentration factor (BCF) 431  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Iprodione: Moderately mobile in soils  
Trifloxystrobin: Slightly mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Iprodione: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**INTERFACE**Version 2 / GB  
102000027466

8/10

Revision Date: 05.11.2013  
Print Date: 09.01.2014**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

<b>Product</b>	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
<b>Contaminated packaging</b>	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.
<b>Waste key for the unused product</b>	<b>020108</b> agrochemical waste containing dangerous substances

**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IPRODIONE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IPRODIONE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IPRODIONE SOLUTION )
14.3 Transport hazard class(es)	9





## INTERFACE

Version 2 / GB  
102000027466

9/10

Revision Date: 05.11.2013  
Print Date: 09.01.2014

14.4 Packing group III  
14.5 Environm. Hazardous Mark YES

### UK 'Carriage' Regulations

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(IPRODIONE SOLUTION)  
14.3 Transport hazard class(es) 9  
14.4 Packing group III  
14.5 Environm. Hazardous Mark YES  
Emergency action code 3Z

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

### 15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

---

## SECTION 16: OTHER INFORMATION

### Text of R-phrases mentioned in Section 3

R22 Harmful if swallowed.  
R40 Limited evidence of a carcinogenic effect.  
R41 Risk of serious damage to eyes.  
R43 May cause sensitisation by skin contact.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Text of the hazard statements mentioned in Section 3

H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H351 Suspected of causing cancer.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence



## INTERFACE

Version 2 / GB  
102000027466

10/10

Revision Date: 05.11.2013  
Print Date: 09.01.2014

over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

**Reason for Revision:** Section 12. Ecological information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.